


County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: COLUMBIA ACADEMY	Owner	: CORNING UNION ELEM SCHOOL
Site Address	: 1785 COLUMBIA AVE	Owner Address	: 1590 SOUTH ST
Facility ID	: FA0000688	Inspector	: EE0000015 - Jenna Longchamps
Record ID	: PR0000345	Inspector Phone	: Not Specified
License/Permit Number	: 2390-16F-1	Program:	: 1636 - School Satellite Food
Person in Charge	:		:
Inspection Date	: 11/29/2018	Total Inspection Time	: 30 min.
Inspection Number	: DA0006456	Result	: 03 - Minor Violations
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

HOT AND COLD POTABLE WATER AVAILABLE - 16 21

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. (113953(c), 114099.2(b) 114101(a), 114189, 114192, 114192.1, 114195)

Corrective Description:

Inspector Comments:

Warm water is not provided in all restrooms; Please provide warm water to all handwashing sinks.

Handwashing facilities shall be equipped to provide warm water under pressure for a minimum of 15 seconds through a mixing valve or combination faucet. If the temperature of water provided to a handwashing sink is not readily adjustable at the faucet, the temperature of the water shall be at least 100°F, but not greater than 108°F

HANDWASHING AND TOILET FACILITIES MUST BE AVAILABLE WITH CORRECT SIGNAGE - 16 47

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Handwashing signs shall be posted in each toilet room, directing attention to the need to thoroughly wash hands after using the restroom (113953.5) (b) No smoking signs shall be posted in food preparation, food storage, warewashing, and utensil storage areas (113978). (c) Consumers shall be notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets. (d) Any food facility constructed before January 1, 2004 without public toilet facilities, shall prominently post a sign within the food facility in a public area stating that toilet facilities are not provided (113725.1, 114381 (e)).

Corrective Description:

Inspector Comments:

Please post handwashing signs in each restroom.

Overall Inspection Comments

Received By:

Date

Jenna Longchamps

Date