


County of Tehama  
Department of Environmental Health  
633 Washington St., Rm 36  
Red Bluff CA 96080  
Phone # (530) 527-8020  
www.co.tehama.ca.us

### OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

|                       |                            |                       |                                      |
|-----------------------|----------------------------|-----------------------|--------------------------------------|
| Facility Name         | : DOLLAR TREE #01230       | Owner                 | : DOLLAR TREE STORES, INC.           |
| Site Address          | : 398 S MAIN St            | Owner Address         | : 641 FULTON AVE                     |
| Facility ID           | : FA0000525                | Inspector             | : EE0000017 - Jana Gosselin          |
| Record ID             | : PR0000133                | Inspector Phone       | : Not Specified                      |
| License/Permit Number | : 2074-16F-1               | Program:              | : 1614 - Retail Market<6000 Sq. Feet |
| Person in Charge      | :                          |                       | : No Prep                            |
| Inspection Date       | : 7/27/2020                | Total Inspection Time | : 45 min.                            |
| Inspection Number     | : DA0007956                | Result                | : 01 - Meets Standards               |
| Purpose of Inspection | : 102 - Routine Inspection |                       |                                      |

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

#### Inspection Violations

##### POTENTIALLY HAZARDOUS FOODS HOLD TEMPERATURES - 16 7

"Comply by Date" Not Specified

Not In Compliance

*Violation Description:*

Potentially hazardous foods shall be held at or below 41/ 45°F or at or above 135°F. (113996, 113998, 114037, 114343(a))

*Corrective Description:*

*Inspector Comments:*

Walk-in cooler not at temp. Please set up a temperature log and monitor temp. If refrigerator not holding temp please repair immediately!

##### TOILET FACILITY MUST BE CLEAN, SUPPLIED AND PROPERLY CONSTRUCTED - 16 43

"Comply by Date" Not Specified

Not In Compliance

*Violation Description:*

Toilet facilities shall be maintained clean, sanitary and in good repair. Toilet rooms shall be separated by a well-fitting self-closing door. Toilet tissue shall be provided in a permanently installed dispenser at each toilet. The number of toilet facilities shall be in accordance with local building and plumbing ordinances. Toilet facilities shall be provided for patrons: in establishments with more than 20,000 sq ft.; establishments offering on-site liquor consumption. (114250, 114250.1, 114276)

*Corrective Description:*

*Inspector Comments:*

Paper towels and toilet paper need to be installed in permanent dispensers in restrooms. Restrooms must be maintained in a clean and sanitary fashion.

#### Overall Inspection Comments

Thank you for continuing to work on improving the overall cleanliness of the store.

Received By: \_\_\_\_\_

Date \_\_\_\_\_

Jana Gosselin \_\_\_\_\_

Date \_\_\_\_\_