County of Tehama Department of Environmental Health 633 Washington St., Rm 36 Red Bluff CA 96080 Phone # (530) 527-8020 www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

| Facility Name Site Address | : FROM THE HEARTH BAKERY & CAFE · 638 WASHINGTON ST | Owner Owner Address | : JOHN DIX : 1405 RIDGE DR | |
|-----------------------------------------------------------------------|--------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------|-------------------|
| Facility ID Record ID License/Permit Number Person in Charge | : FA0000518 : PR0002565 : PT0002775 | Inspector Inspector Phone Program: | : EE0000005 - Tia Branton : (530) 527-8020 : 1623 - Restaurant <2000 Sq. Feet | |
| Inspection Date | : 8/22/2018 | Total Inspection Time | : 60 min. | |
| Inspection Number Purpose of Inspection | : DA0006191 : 102 - Routine Inspection | Result | 2 01 - Meets Standards | |
| An inspe | ection of your property revealed the following v | iolations. Please note the date for reins | spection. Thank you for your co | ooperation. |
| — Inspection Violati | ons | | | |
| POTENTIALLY HAZARDOUS FOODS HOLD TEMPERATURES - 16 7 | | | "Comply by Date" Not Specified | Not In Compliance |
| Violation Descriptic | on: | | | |
| Potentially haza | rdous foods shall be held at or below 41/ 45øF | or at or above 135øF. (113996, 11399 | 8, 114037, 114343(a)) | |
| Corrective Descript | tion: | | | |
| Inspector Commen Pasta/coleslaw | <i>ts:</i> countertop cooler shall use time stamp so that | no food is kept on line for more than 4 h | nours. | |
| ALL NONFOOD CONTACT SURFACES SHALL BE KEPT CLEAN - 16 33 | | | "Comply by Date" Not Specified | Not In Compliance |
| Violation Description | on: | | | |
| All nonfood cont | tact surfaces of utensils and equipment shall be | e clean. (114115 (c)) | | |
| Corrective Descript | tion: | | | |
| Inspector Commen Time to do some | <i>ts:</i> e deep cleaning as discussed. | | | |
| —Overall Inspection Co | omments | | | |

Appears that there is not enough storage in walk-in refrigerator, please device plan to keep all food stuff a minimum of 4" above the floor.

Received By:

Date

Tia Branton

I. Branton

Date