County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

## **OFFICIAL FOOD INSPECTION REPORT**

Owner

Owner Address



: JOSE GARCIA & MARTHA MONROY

: 7390 OAK PARK RD

Tim Potanovic, REHS - Director

Facility Name

Site Address

: LA FORTUNA MARKET

: 17572 STAGECOACH RD

Record ID : PR0000181 Inspector Phone : Not Specified License/Permit Number : 2152-16F-1 Program: : 1614 - Retail Market<60 Person in Charge : : No Prep Inspection Date : 11/6/2018 Total Inspection Time : 60 min. Inspection Number : DA0006394 Purpose of Inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooper  An inspection Violations  DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39 "Comply by Date" Not Specified  Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler, thermometer +/- 2 oF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments: There is no thermometer provided in milk/egg refrigerator; please provide.  Pate  Date  Date  Jenna Longchamps	ngchamps
Person in Charge : No Prep Inspection Date : 11/6/2018 Total Inspection Time : 60 min. Inspection Number : DA0006394 Result : 03 - Minor Violations  An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation in the property of the property o	
Inspection Date : 11/6/2018 Total Inspection Time : 60 min. Inspection Number : DA0006394 Purpose of Inspection : 102 - Routine Inspection  An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property for your cooper	000 Sq. Feet
Inspection Number : DA0006394 Result : 03 - Minor Violations  An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation in the following violations.  DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39 "Comply by Date" Not Specified  Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments:  There is no thermometer provided in milk/egg refrigerator; please provide.  Overall Inspection Comments	
An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property revealed the following violations. Please note the date for reinspection. Thank you for your cooperative property property property revealed the following violations. Please note the date for reinspection.  DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39  "Comply by Date" Not Specified  Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments:  There is no thermometer provided in milk/egg refrigerator; please provide.  Overall Inspection Comments	
An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooper Inspection Violations  DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39  "Comply by Date" Not Specified  Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments:  There is no thermometer provided in milk/egg refrigerator; please provide.	
DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39 "Comply by Date" Not Specified  Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments: There is no thermometer provided in milk/egg refrigerator; please provide.	
Violation Description:  An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments:  There is no thermometer provided in milk/egg refrigerator; please provide.  **Overall Inspection Comments**	peration.
An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  **Corrective Description:*  **Inspector Comments:*  There is no thermometer provided in milk/egg refrigerator; please provide.  **POverall Inspection Comments**	Not In Compliance
thermometer +/- 2 øF shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewast machines. (114157, 114159)  Corrective Description:  Inspector Comments:  There is no thermometer provided in milk/egg refrigerator; please provide.  **Overall Inspection Comments**	
Inspector Comments: There is no thermometer provided in milk/egg refrigerator; please provide.  Overall Inspection Comments	
There is no thermometer provided in milk/egg refrigerator; please provide.  Overall Inspection Comments	
There is no thermometer provided in milk/egg refrigerator; please provide.  Overall Inspection Comments	
Overall Inspection Comments	
Received By: Date Jenna Longchamps	
recontrol by.	
	Date