

County of Tehama
Department of Environmental Health
633 Washington St., Rm 36
Red Bluff CA 96080
Phone # (530) 527-8020
www.co.tehama.ca.us

OFFICIAL FOOD INSPECTION REPORT



Tim Potanovic, REHS - Director

Facility Name	: THAI HOUSE	Owner	: KIRATHI TANATCHASAI
Site Address	: 248 S MAIN ST	Owner Address	: 18809 GERKIN AVE
Facility ID	: FA0000508	Inspector	: EE0000005 - Tia Branton
Record ID	: PR0000114	Inspector Phone	: (530) 527-8020
License/Permit Number	: 2039-16F-1	Program:	: 1623 - Restaurant <2000 Sq. Feet
Person in Charge	:		:
Inspection Date	: 7/10/2017	Total Inspection Time	: 45 min.
Inspection Number	: DA0005196	Result	: 02 - Failed To Meet Standards
Purpose of Inspection	: 102 - Routine Inspection		

An inspection of your property revealed the following violations. Please note the date for reinspection. Thank you for your cooperation.

Inspection Violations

POTENTIALLY HAZARDOUS FOODS HOLD TEMPERATURES - 16 7

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

Potentially hazardous foods shall be held at or below 41/ 45°F or at or above 135°F. (113996, 113998, 114037, 114343(a))

Corrective Description:

Inspector Comments:

small line refrigeration unit not holding temp (52°F). All food discarded. DO NOT USE UNTIL REPAIRED.

DEDICATED WORKING THERMOMETER SHALL BE AVAILABLE AT ALL TIMES - 16 39

"Comply by Date" Not Specified

Not In Compliance

Violation Description:

An accurate easily readable metal probe thermometer suitable for measuring temperature of food shall be available to the food handler. A thermometer +/- 2 °F shall be provided for each hot and cold holding unit of potentially hazardous foods and high temperature warewashing machines. (114157, 114159)

Corrective Description:

Inspector Comments:

Facility MUST have metal probe thermometer.

Overall Inspection Comments

Continue with Pest control regime. Continue to remove all particle board shelving. Keep all floor areas in prep/food areas clean!

Tia Branton

Received By:

Date

Tia Branton

Date